

Kansas Department of Health and Environment Bureau of Environmental Remediation 1000 SW Jackson, Suite 410 Topeka, KS 66612 Phone: (785) 296-1678 www.kdheks.gov/ber

Kansas Department of Health and Environment

2021 Emergency Planning and Community Right to Know Act (EPCRA) Aboveground Storage Tank (AST) Special Tier II

March 30, 2021

Owner ID: 44605

Owner Name: BONANZA BIO ENERGY, LLC

%T/WILLIS

Owner Address: PO BOX 1178, LIBERAL, KS

67905

Facility ID: 44414

Facility Name: BONANZA BIOENERGY, LLC

Facility Address: 2830 E. US HWY 50, GARDEN CITY,

KS 67846

Emergency Contact Name: Jeff Gilbert 24-Hour Phone Number: (620) 417-5113

| Tank ID | Tank Size (gallons) | Product Stored | EPCRA Required? |
|---------|---------------------|-----------------------------|---|
| A001 | 166000 | 190 PROOF ETHYL | Yes |
| | | ALCOHOL | |
| A002 | 166000 | 200 PROOF ETHYL | Yes |
| | | ALCOHOL | |
| A003 | 166000 | Gas (Incl Alcohol) | Yes |
| \\ | | (Cercla/CAS No: 8006-61- | 116-3 |
| | (A) | 9 (Fire, Chronic, Acute)) | |
| A004 | 762000 | Denatured Fuel Ethanol | Yes |
| 1/3 | 1/1/200 | (Cercla/CAS No: 109-66- | 111111111111111111111111111111111111111 |
| | 3000 | 0* (Fire, Chronic, Acute)) | |
| A005 | 762000 | Denatured Fuel Ethanol | Yes |
| , | | (Cercla/CAS No: 109-66- | |
| | THE THE THE | 0* (Fire, Chronic, Acute)) | |
| A006 | 2300 | Fuel Additive (Cercla/CAS | Yes |
| | | No: 67-56-1 (Fire, Chronic, | |
| | | Acute)) | |
| A007 | 18000 | Empty/Clean | No |
| | | | |
| A008 | 14000 | 50% CAUSTIC SODA | Yes |
| | | | |

You <u>must</u> send a copy of this document to the LOCAL EMERGENCY PLANNING COMMITEE (LEPC) to comply with EPCRA requirements. Listings for the Emergency Management in each county can be found at the Kansas Adjutant General's Department webpage: http://www.kansastag.gov/KDEM.asp?PageID=200.



Kansas Department of Health and Environment Bureau of Environmental Remediation 1000 SW Jackson, Suite 410 Topeka, KS 66612 Phone: (785) 296-1678 www.kdheks.gov/ber

| Tank ID | Tank Size (gallons) | Product Stored | EPCRA Required? |
|---------|--|---------------------------|-----------------|
| A009 | 8000 | Sulfuric Acid | Yes |
| | | | |
| A010 | 10000 | Diesel Clear (Cercla/CAS | Yes |
| | | No: 68476-34-6 (Fire, | |
| | TRA | Chronic, Acute)) | |
| A011 | 1000 | Diesel Dyed Off-Road | Yes |
| | 0 ' × × | (Cercla/CAS No: 68476- | |
| | LAN VY VX | 34-6 (Fire, Chronic, | |
| | / x * x * 1</td <td>Acute))</td> <td>> </td> | Acute)) | > |
| A012 | 1000 | Gas (Incl Alcohol) | Yes |
| | 7 7 7 | (Cercla/CAS No: 8006-61- | |
| | | 9 (Fire, Chronic, Acute)) | |
| A013 | 10000 | Diesel Clear (Cercla/CAS | Yes |
| | | No: 68476-34-6 (Fire, | |
| | | Chronic, Acute)) | |
| A014 | 7800 | Ammonium Bisulphite | Yes |
| | The second second | | |
| | | | |

You <u>must</u> send a copy of this document to the LOCAL EMERGENCY PLANNING COMMITEE (LEPC) to comply with EPCRA requirements. Listings for the Emergency Management in each county can be found at the Kansas Adjutant General's Department webpage: http://www.kansastag.gov/KDEM.asp?PageID=200.